

INDEX

- AA. *See* Alcoholics Anonymous (AA)
- AAMFT. *See* American Association for Marriage and Family Therapy (AAMFT)
- ABC Model of Psychiatric Screening, 68–69
- ABCT. *See* Alcohol Behavioral Couple Therapy (ABCT)
- Abuse, 104. *See also* Alcoholism/alcohol abuse; Childhood sexual/physical abuse; Substance abuse
- ACA. *See* Adult children of alcoholics (ACAs)
- Acculturation level, 230, 233, 288–289
- ACSAP. *See* Army Center for Substance Abuse Programs (ACSAP)
- Active treatment stage for dually diagnosed patients, 68
- ADA. *See* Americans with Disabilities Act (ADA)
- ADAM. *See* Arrestee Drug Abuse Monitoring Program (ADAM)
- Addiction. *See also* Alcoholism/alcohol abuse; Illegal drugs; Substance abuse
- brain chemistry of, 137
 - characterizing individuals and assessing their needs, 6–9
 - cognitive impairment and, 137–138
 - definition of, 4
 - disease model for, 4, 5, 81, 301, 302
 - drug craving and, 137
 - etiology of, 3–6, 69–70, 104, 152–158, 165–166, 231–235
 - physiological factors in, 7
 - psychological factors in, 8–9
 - relapse and relapse prevention, 138–139
 - sociological factors in, 7, 8
 - training of addictions counselors, 2–3, 70, 218–219
- ADHD, 253, 341
- Adjuster role in family, 182, 184
- Adolescent substance abuse. *See also* Children of alcoholics (COAs)
- by African Americans, 128–129, 143
 - alcohol abuse and, 173, 243
 - assessment of, 259–263
 - characteristics of adolescence, 246–247
 - children of alcoholics (COAs) and, 173
 - compared with adult substance abuse, 246–247
 - distinction between substance use and abuse, 248–250
 - family therapy for, 250–252, 258–259
 - fatalities resulting from, 245
 - by gay adolescents, 214
 - gender and treatment considerations, 255–256
 - by Hispanics, 231, 232–233
 - marijuana use and, 243
 - motivations for, 246–250
 - multidimensional approach to treatment for, 252–254
 - by Native Americans, 275
 - and needs of adolescents, 254–256

- negative impact of, 245–246
 - prevention programs for Hispanic adolescents, 239–240
 - recognizing adolescent conflict in treatment, 247–248
 - relapse/aftercare for, 267–268
 - resources on, 273–274
 - statistics on, 243–245, 253–254, 381
 - street youth and, 330, 339–342
 - treatment engagement for, 257–259
 - treatment for, 244–245, 247–248, 250–269
 - treatment length and accessibility for, 256–257
 - treatment model for, 264–267
 - treatment setting for, 263–264
 - types of, 248–249
 - unified model for treatment for, 254–268
- Adult children of alcoholics (ACAs). *See also* Children of alcoholics (COAs)
- alcoholism in, 19, 27–28, 172
 - assortative mating and, 194–195
 - coinage of term, 190
 - developmental model of, 195–202
 - family dynamics in birth families of, 180–181
 - popular literature on, 190
 - problems of, 191–202
 - resources on, 212
 - responses of, to parental drinking styles, 205
 - treatment of, 198–202
- Adult Children of Alcoholics (Web site), 212
- Affective disorders, 49–56
- AFMS. *See* Air Force Medical Service (AFMS)
- African Americans
- addiction and substance abuse by, 125–144, 329, 331, 332
 - as adult children of alcoholics (ACAs), 194
 - AIDS and, 334
 - alcohol abuse and, 14–15, 94, 128–129
 - cigarette smoking by, 126–127, 128, 129, 243
 - Civil Rights Movement and, 131
 - definition of, 129
 - demographic information on, 126
 - drug arrests of, 126
 - family systems of, 132–135
 - fetal alcohol syndrome (FAS) and, 22
 - health problems of, 126–128
 - history of, 129–133
 - homelessness of, 329, 343–344
 - life expectancy of, 125
 - marriage and divorce rates of, 134
 - mental illness and, 128
 - poverty of, 131, 134
 - prevention of substance abuse by, 142–143
 - in prisons, 393–394
 - single-parent households of, 134

- slavery and, 130, 133–134
 - spiritual and religious beliefs of, 130, 133–134
 - statistics on, 126, 134
 - treatment of substance abuse in, 125–126, 135–144
 - young African Americans and substance abuse, 128–129, 143
- Aging. *See* Older adults
- AIDS. *See* HIV/AIDS
- Air Force, 373, 379. *See also* Military
- Air Force Medical Service (AFMS), 379
- Al-Anon for Families of Alcoholics, 34, 43, 162, 189, 379
- Alakid, 189
- Alateen, 189, 379
- Alcohol and Drug Abuse Crisis Line, 43
- Alcohol and Drug Abuse Hotline, 43
- Alcohol and Drug Helpline, 43
- Alcohol Behavioral Couple Therapy (ABCT), 32
- Alcohol dehydrogenase (ALDH), 280–281
- Alcohol-related automobile accidents, 245
- Alcohol Use Disorders Identification Test (AUDIT), 151
- Alcohol Use Scale–Revised (AUS-R), 65
- Alcoholics Anonymous (AA)
- for adolescents, 268
 - attendance levels for, 80
 - Big Book* of, 1–2, 81
 - Children From Alcoholic Families Program and, 189
 - compared with alternative support groups, 80–81
 - court-mandated attendance at, 4
 - on “dry drunk,” 4
 - familiarity with, by addiction service providers, 80
 - family therapy versus, 30
 - for gay men and lesbian women, 220–221
 - Hispanics and, 237
 - for individuals with disabilities, 414, 419, 422
 - for medical professionals, 162
 - for military personnel, 379
 - for Native Americans, 295
 - objections to, 75–77, 80
 - for older adults, 100–101
 - philosophy and methods of, 1–2, 60–61, 81, 295
 - ranking of, for efficacy, 79
 - sociopathy and, 60–61
 - Web site and phone number for, 43
 - women and, 33–34
- Alcoholism/alcohol abuse. *See also* Addiction; Adolescent substance abuse; Adult children of alcoholics; Alcoholics Anonymous (AA); Assessment; Children of alcoholics; Self-help groups; Substance abuse; Treatment and prevention of alcoholism and substance abuse
- anxiety and, 47–48
 - athletes and, 362–363
 - as behavioral disorder, 4–6
 - binge drinking, 14, 128–129, 205, 245, 334, 373–374

- bipolar depression and, 49, 50, 51
 - characterizing individuals and assessing their needs, 6–9
 - consequences of, 19–22
 - criminal population and, 21, 386–388
 - definition of, 3–4
 - depression and, 49–56, 9697
 - disease model for, 4, 5, 81, 301, 302
 - domestic violence and, 23–26
 - “dry drunk,” 44
 - early- versus late-onset of, 93
 - ethnicity and, 14–15, 94, 128–129
 - family history of, 19, 27–28, 30, 153–154, 172, 177–178, 202–205, 234–235
 - fetal alcohol syndrome (FAS), 21–22, 43, 128, 281
 - in gay men and lesbian women, 213–218
 - maternal drinking and its effects on children, 26, 179
 - men and, 14, 19–21, 30, 93–94
 - in military, 373–377
 - mixing of alcohol and prescription drugs, 417
 - Native Americans and, 15, 275, 278–288
 - normative support for recreational use of alcohol, 154
 - older adults and, 92–104, 113
 - physicians and, 150, 151–152, 158
 - physiological factors in, 7
 - posttraumatic stress disorder (PTSD) and, 18
 - psychological factors in, 8–9
 - rape and, 17, 24–25
 - “self-medication” hypothesis of, 47
 - sexual functioning of women and, 22–23
 - sociological factors in, 7, 8
 - sociopathy and, 58–62
 - statistics on, 13–14, 49, 92–95, 331
 - stress and, 155–156
 - women and, 13–35, 93–94
- Alcoholism treatment and prevention. *See* Treatment and prevention of alcoholism and substance abuse
- ALDH. *See* Alcohol dehydrogenase (ALDH)
- “All-or-none” functioning, 200
- Alternative prevention programs, 143
- Alternative recovery approach. *See* Non-12-step recovery
- Alvord-Baker Social Skills Group Model, 207–208
- AMA. *See* American Medical Association (AMA)
- American Association for Marriage and Family Therapy (AAMFT), 218, 219
- American Educational Gender Information Service, 225
- American Indian Freedom Act Amendments (1994), 294
- American Indian Religious Freedom Coalition, 294
- American Indians. *See* Native Americans
- American Medical Association (AMA), 94, 95, 149–150
- American Psychological Association, 218
- American Society of Addiction Medicine, 378
- Americans with Disabilities Act (ADA), 406
- Amphetamines, 56, 112, 217, 359–361

- Anabolic steroids, 353–357, 369
- Androstenedione, 358
- Antabuse, 417
- Anti-Drug Abuse Act (1986), 132
- Antidepressants, 52, 107
- Antisocial behavior. *See* Sociopathy
- Anxiety
 - alcoholism and, 47–48
 - chronic anxiety versus acute anxiety, 305–306
 - diagnosis and treatment of, 48–49
 - dually diagnosed patients and, 46–49
 - “self-medication” hypothesis of, 47
- Army, 379. *See also* Military
- Army Center for Substance Abuse Programs (ACSAP), 379, 382
- Army Substance Abuse Program (ASAP), 379, 382
- Arrestee Drug Abuse Monitoring Program (ADAM), 387
- ASAP. *See* Army Substance Abuse Program (ASAP)
- Asian Americans, 15, 331
- Assessment. *See also* specific assessment instruments of adolescent substance abuse, 259–263
 - client’s history and, 65–66
 - detection and, 64, 65
 - DSM-IV-TR and, 64–65, 77, 99, 149
 - of dually diagnosed patients, 64–66
 - family diagram for, in Bowen Family Systems Therapy (BFST), 316–317
 - functional analysis, 65
 - functional assessment, 65
 - of Native Americans, 287–288
 - of older adults for alcohol abuse, 97–100
 - of physicians for alcohol abuse, 150–151, 158
 - steps of, 64–65
 - treatment planning and, 65
- Assortative mating, 194–195
- Athletes
 - alcohol abuse by, 362–363
 - amphetamines for, 359–361
 - anabolic steroids for, 353–357, 369
 - cocaine for, 363–364
 - lifestyle-related drugs and substances for, 362–364
 - nutritional and dietary supplements for, 357–358
 - pain killers for, 361–362
 - performance-enhancing drugs for, 354–362
 - sociological perspective on, 365–366
 - substance abuse by, 349–370
 - treatment for, 366–370
- AUDIT. *See* Alcohol Use Disorders Identification Test (AUDIT)
- AUS-R. *See* Alcohol Use Scale–Revised (AUS-R)
- Baby Boomers. *See* Older adults
- Barbiturates, 55
- Baseball, 357–358, 369. *See also* Athletes

- Basketball, 354, 368. *See also* Athletes
- Beck Depression Inventory, 50, 51, 55
- Behavioral Marital Therapy (BMT), 32
- Belonging, 290–291
- Benzodiazepines, 107, 108–109, 150, 151, 155
- BFST. *See* Bowen Family Systems Therapy (BFST)
- Bicultural competence, 138–139
- Bidirectional models of dually diagnosed patients, 46
- BiNet USA, 225
- Binge drinking, 14, 128–129, 205, 245, 334, 373–374. *See also* Alcoholism/alcohol abuse
- Bipolar depression, 49, 50, 51
- Blacks. *See* African Americans
- Blamer role in family, 179
- Blindness and visual impairment, 419–421
- Blood alcohol level, 100, 280
- BMT. *See* Behavioral Marital Therapy (BMT)
- BOP. *See* Bureau of Prisons (BOP) Substance Abuse Program
- Borderline personality disorder, 59
- Bowen Family Systems Therapy (BFST)
- chronic anxiety versus acute anxiety in, 305–306
 - codependency versus fusion in, 311–312
 - differentiation of self in, 308–311
 - emotional cut off in, 314–315
 - family diagram as assessment tool in, 316–317
 - family projection process in, 313
 - for impaired physicians, 302–304, 320–323
 - intrapsychic fusion and interpersonal fusion in, 306–308
 - multigenerational transmission process, 313–314
 - overview of, 302–303
 - patterns in families with impaired physician, 318–320
 - philosophy and theoretical concepts of, 303–315, 317–318
 - potential of, 303–304
 - questions for impaired physician family, 321–322
 - role of therapist in, 315–316
 - sibling position in, 314
 - solid self versus pseudo-self in, 311
 - triangles in, 312–313
 - universalist concepts in, 317–318
- Brain chemistry and addiction, 137
- Brain damage from alcoholism, 20
- Breast cancer, 20
- Brief MAST, 99
- Bureau of Justice Assistance, 387
- Bureau of Prisons (BOP) Substance Abuse Program, 398
- CAGE, 99, 100
- California Physician Diversion Program, 160, 162–163
- Calix Society, 80
- CBT. *See* Cognitive behavioral therapy (CBT)
- CDDR. *See* Customary Drinking and Drug Use Record (CDDR)

- Center for Substance Abuse Treatment, 157
- Challenge Model Therapy, 207
- Challenge Model versus Damage Model, 205–207
- Change
 - intervention and, 102–103, 140
 - maintenance and, 141
 - motivation and, 139, 141
 - natural self-change versus therapeutic intervention, 140
 - as process, 139
 - stages of, 139–141
 - treatment and, 9–10, 139–141
- Chief enabler role in family, 180
- Child Protection/Alcohol and Drug Partnership Act, 35
- Child Welfare League of America, 43
- Childhood sexual/physical abuse
 - and alcoholism in women, 18–19, 23–24
 - children of alcoholics and, 173, 175, 178
 - homelessness and, 329, 344
 - lesbian women and, 217–225
- Children From Alcoholic Families Program, 186–190
- Children of alcoholics (COAs). *See also* Adolescent substance abuse; Adult children of alcoholics (ACAs)
 - alcohol dependence of, 173, 204
 - coping mechanisms of, 171–172, 183
 - family dynamics and, 173–180
 - family violence and, 173
 - intergenerational transmission of alcoholism and, 172, 177–178, 202–205, 234–235
 - maternal drinking and, 26, 179
 - mental health problems of, 172–173, 178
 - parentification and, 174, 176
 - prevention program for, 186–190
 - problems of, 172–180
 - after recovery of alcoholic parent, 171–172, 182–185, 185–186
 - resilience of, 205–208
 - resources on, 212
 - role behavior in, 175–176, 179–184
 - statistics on, 172, 202
 - treatment for, 183–186, 207–208
- Christian Crisis Drug and Alcohol Hotline, 43
- Cigarette smoking, 126–129, 173, 229, 231–233, 243, 374
- Circumstantial-situational users, 249
- Cirrhosis from alcoholism, 19
- Civil Rights Movement, 131
- Coalcoholic, 311
- Cocaine, 56, 62, 112, 132, 154, 215, 217, 328, 332, 363–364, 387. *See also* Crack cocaine
- Codependency versus fusion, 311–312
- Cognitive behavioral therapy (CBT), 293
- Cognitive impairments, 137–138, 405. *See also* Individuals with disabilities
- Common factor model of dually diagnosed patients, 46
- Community-based prevention programs, 142–143
- Community outreach programs, 102, 293–294

- Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment, and Rehabilitation Act (1976), 16–17
- Compulsive users, 248–249
- Computer role in family, 180
- Confidentiality, 221
- Confrontation, 60–62
- Consequences, 62
- Conversion therapy, 219
- Cornerstone Prison, 397
- Corraling, 62
- Cost-benefit analysis, 67
- Counselors
 - for dually diagnosed patients, 63–64
 - paraprofessional addictions counselors, 2–3
 - school counselors and children of alcoholics, 186
 - training in addictions for, 2–3, 70
 - training in gay and lesbian issues for, 218–219
- Couples therapy. *See also* Family therapy; Treatment and prevention of alcoholism and substance abuse
 - for alcoholic women, 31–34
 - for gay men and lesbian women, 219, 221–222
 - impact of, on children of alcoholics (COAs), 185–186
- Crack cocaine, 127, 132, 215, 329
- Craving, coping with, 67
- Creatine, 358
- Creativity, 206–207
- Criminal population
 - alcohol use and, 21, 386–388
 - arrestees, 387
 - Bureau of Prisons Substance Abuse Program for, 398
 - causality of criminal behavior and substance abuse, 388–393
 - drug court for, 398–399
 - inmates, 229, 387–388
 - legislative approaches to substance abuse and crime, 393–394
 - non-arrested criminals, 386–387
 - prevalence of substance abuse within, 386–388
 - substance abuse in, 21, 385–400
 - therapeutic community for, 397
 - treatment of, 394–400
- Crystal methamphetamine, 215
- Cultural competency, 421–430
- Cultural enhancement programs, 143
- Culturally adapted interventions, 430–436
- Customary Drinking and Drug Use Record (CDDR), 260
- DALI. *See* Dartmouth Assessment of Lifestyle Instrument (DALI)
- Dartmouth Assessment of Lifestyle Instrument (DALI), 65
- De Paul Rehabilitation Hospital, 160, 162
- Deafness and hearing impairment, 413–415
- Decision Tree method, 260
- Deinstitutionalization, 328

- Deliberateness, 204
- Dependent role in family, 180
- Depression
- alcoholism and, 49–56, 96–97
 - bipolar depression, 49, 50, 51
 - endogenous depression, 50
 - Hispanics and, 233–234
 - homeless adolescents and, 341
 - non-opiate drug abuse, 55–56
 - older adults and, 96–97
 - opiate abuse and, 54–55
 - pharmacotherapy for, 52–54
 - subtypes of, in alcoholics, 53
 - suicide and, 50, 52
 - symptoms of, 50
 - treatment of, 52–54, 56
 - unipolar depression, 50–51
- Depressive Experience Questionnaire, 55
- Developmental disabilities, 421–422
- Diagnostic and Statistical Manual (DSM-IV-TR)*, 64–65, 77, 99, 149
- Differentiation of self, 308–311
- Disabilities. *See* Individuals with disabilities
- Disability coculture, 403–404, 423
- Disease model for addiction, 4, 5, 81, 301, 302
- Dissociation, 200
- Distractor role in family, 180
- Disulfiram, 417
- Diverse populations. *See* specific groups, such as African Americans
- Diversity issues, 10–11
- Domestic violence, 23–26, 173
- Dopamine, 137
- “Double Trouble” support groups, 69
- Drinking problems. *See* Alcoholism/alcohol abuse
- Drug abuse, 3–4. *See also* Addiction; Illegal drugs; Substance abuse; and specific drugs
- Drug abuse treatment and prevention. *See* Prevention programs; Treatment and prevention of alcoholism and substance abuse
- Drug/Alcohol Time-Line Follow-Back Calendar (TLFBC), 65
- Drug court, 398–399
- Drug craving, 137
- Drug therapy. *See* Medications
- Drug Use Scale–Revised (DUS-R), 65
- Drug Use Screening Inventory (DUSI), 260–263, 267
- Drunk-driving accidents, 20–21, 245
- Drunkness. *See* Alcoholism/alcohol abuse
- DSM-IV-TR (APA), 64–65, 77, 99, 149
- Dually diagnosed patients
- ABC Model of Psychiatric Screening for, 68–69
 - active treatment stage for, 68
 - affective disorders in, 49–56
 - anxiety in, 46–49

- assessment of, 64–66
 - bidirectional models of, 46
 - bipolar depression in, 49, 50, 51
 - common factor model of, 46
 - diagnosis and treatment of alcoholism and, 49–52
 - engagement treatment stage for, 66–67
 - etiology of dual diagnoses, 69–70
 - homelessness of, 335–339
 - integrated system for treatment of, 64
 - parallel system for treatment of, 64
 - persuasion treatment stage for, 68
 - pharmacotherapy for, 52–56
 - relapse prevention stage for, 68
 - resources on, 73
 - secondary psychopathology models of, 46
 - secondary substance abuse models of, 46
 - self-help groups for, 69
 - “self-medication” hypothesis of, 47
 - sequential system for treatment of, 64
 - sociopathy and, 56–63
 - substance abuse in, 45–70, 73
 - treatment of, 45–46, 48–49, 52–54, 56, 60–62, 63–70, 337–339
- DUS-R. *See* Drug Use Scale–Revised (DUS-R)
- DUSI. *See* Drug Use Screening Inventory (DUSI)
- Dyspareunia, 23
- Dysphoria, 63
-
- EA. *See* Emotions Anonymous (EA)
- ECA Study. *See* Epidemiologic Catchment Area (ECA) Study
- Ecstasy, 215, 218
- Elderly. *See* Older adults
- Emotional cut off, 314–315
- Emotions Anonymous (EA), 422
- Enabler role in family, 180, 311
- Endogenous depression, 50. *See also* Depression
- Engagement treatment stage for dually diagnosed patients, 66–67
- Ephedrine, 358
- Epidemiologic Catchment Area (ECA) Study, 47, 49, 59, 93, 151
- Ethnicity. *See also* African Americans; Asian Americans; Hispanics; Native Americans
- alcohol use and, 14–15, 94, 128–129, 331
- bicultural competence and, 138–139
 - cultural competency and, 421–430
 - culturally adapted interventions, 430–436
 - fetal alcohol syndrome (FAS) and, 22, 281
 - illegal drugs and, 125, 126, 129
 - life expectancy and, 125
 - mental illness and, 128
 - metabolism of alcohol by, 280
- Etiology of addiction, 3–6, 69–70, 104, 152–158, 165–166, 231–235

- Evidence-based practices, 436–437. *See also* Prevention programs; Treatment and prevention of alcoholism and substance abuse
- Experimenters, 248, 249
- Expressive needs, 133
- Extended family, 133
- Familial transmission of alcoholism. *See* Multigenerational transmission of alcoholism
- Family. *See also* Adult children of alcoholics; Children of alcoholics (COAs); Couples therapy; Family therapy
- Family therapy
 - of African Americans, 132–135
 - chaotic families, 203
 - deliberateness in, 204
 - dynamics of, and children of alcoholics (COAs), 173–180
 - emotionally disruptive families, 203
 - exposing families, 203
 - extended family, 133
 - family rituals, 202–204
 - of Hispanics, 229, 232, 240
 - homeless families, 330, 342–343
 - immediate, 133
 - of impaired physicians, 318–320
 - intergenerational transmission of alcoholism, 19, 27–28, 30, 153–154, 172, 177–178, 202–205, 234–235
 - involvement of, in treatment, 11, 30–35, 43
 - of Native Americans, 284–286
 - “parent types” in producing addiction in offspring, 8
 - protective families, 203
 - role behavior in children of alcoholics (COAs), 175–176, 179–184
 - roles in families under stress, 179–180
 - Family-based prevention programs, 142
 - Family diagram in Bowen Family Systems Therapy (BFST), 316–317
 - Family hero role in family, 181
 - Family of Origin Scale, 205
 - Family projection process, 313
 - Family rituals, 202–204
 - Family systems treatment, 221–222
 - Family therapy. *See also* Couples therapy; Treatment and prevention of alcoholism and substance abuse
 - for adolescent substance abusers, 250–252, 258–259
 - Bowen Family Systems Theory (BFST) for, 302–323
 - for children of alcoholics (COAs), 184–186, 189
 - for gay men and lesbian women, 219
 - for Hispanics, 237–238
 - for Native Americans, 292
 - for older adults with alcohol problems, 103
 - for women alcoholics, 30–35
 - Family violence. *See* Domestic violence
 - FAS. *See* Fetal alcohol syndrome (FAS)
 - Fetal alcohol syndrome (FAS), 21–22, 43, 128, 281
 - Floater, 249

Football, 354, 360, 361, 368, 369. *See also* Athletes
 Functional analysis, 65. *See also* Assessment
 Functional Analysis Summary, 65
 Functional assessment, 65. *See also* Assessment
 Functional Assessment Interview, 65
 Fusion versus codependency, 311–312

Gambling, 275–276

Gamma Hydroxybutyrate (GBH), 215

Gay men and lesbian women

- adolescents as, 214
- alcohol and lesbian women, 16
- alternatives to gay scene for, 215
- childhood physical/sexual abuse of lesbian women, 18–19
- confidentiality for, 221
- factors related to substance use by, 220
- family-of-origin issues of, 222
- family systems therapy for, 221–222
- identity of, 215–216
- illegal drug use by, 18, 214–215, 217
- recovery groups for, 221–222
- resources on, 225
- safe therapeutic environment for, 218–220
- social places and drugs of choice for, 215
- social support networks for, 221
- substance abuse by, 214–225
- therapeutic considerations for, 218–223
- unique characteristics of gay men, 216–217
- unique characteristics of lesbian women, 217–218
- vignettes on, 213–214

GBH (Gamma Hydroxybutyrate), 215

Gender differences. *See* Men; Women

Generosity, 291

Georgia Impaired Physicians Program, 161, 163

GLBT. *See* Gay men and lesbian women

Group therapy

- for adult children of alcoholics (ACAs), 198–202
- for children of alcoholics (COAs), 184–185, 186
- for depressed alcoholics, 53
- for gay men and lesbian women, 222
- for Hispanics, 236–237
- for older adults with alcohol problems, 103

Hallucinogens, 56, 112

HAM-D. *See* Hamilton Rating Scale for Depression (HAM-D)

Hamilton Rating Scale for Depression (HAM-D), 55

Handicaps. *See* Individuals with disabilities

Hare Psychopathy Checklist–Revised (PCL-R), 61

Harm reduction, 67, 88–89

Hazelden, 159, 160

Hazelden Women and Children's Recovery Community, 35

Health professionals. *See* Physician headings

Hearing impairment, 413–415

Heart disease from alcoholism, 20

Heroin, 55, 62, 112–113, 131, 230, 328, 332, 386

HGH. *See* Human growth hormone (HGH)

Hispanics

- acculturation of, and substance abuse, 230, 233
- adolescent substance abuse among, 231, 232–233
- AIDS and, 334
- alcohol use by, 14–15, 94, 230–231, 331
- Alcoholic Anonymous for, 237
- depression and, 233–234
- diagnostic considerations for, 231–235
- educational attainment of, 228
- employment of, 228–229, 233
- families and children of, 229, 232, 240
- family therapy for, 237–238
- group characteristics of, 228–229
- group therapy for, 236–237
- homelessness of, 331
- imprisonment of, for drug-related offenses, 229
- individual therapy for, 238–239
- inpatient treatment for, 238
- physiological risk factors for, 234–235
- poverty of, 228
- prevention programs for, 239–240
- psychological risk factors for, 233–234
- sociological risk factors for, 232–233
- statistics on, 227–228
- stress and, 234–235
- subculture variations in drinking patterns of, 230
- treatment of, 235–239

HIV/AIDS, 127, 215, 216, 218, 220, 334–335, 342, 344

Homelessness

- of African Americans, 329, 343–344
- and cutbacks in government programs, 327–328
- deinstitutionalization and, 328
- diversity in homeless population, 329–331
- dual diagnosis and, 335–339
- of families, 330, 342–343
- health problems as consequence of, 332–335
- history of, 325–327
- HIV and, 334–335, 344
- illegal drugs and, 328, 329, 332
- mental illness and, 331–332
- of military veterans, 330, 334–335, 345–347
- of older adults, 330
- personal factors in, 328–329
- posttraumatic stress disorder (PTSD) and, 337

- prevalence of alcohol and drug abuse in the homeless, 18, 331–332
- in San Diego, 329–331
- social factors on, 327–328
- sociopathy and, 60
- statistics on, 325–327, 330, 331–332, 339
- street youth and substance abuse, 330, 339–342
- substance abuse and, 321–348
- treatment efficacy for substance abuse and, 347–348
- treatment for the homeless, 335–348
- of women, 18, 328, 342–344
- Homophobia, 217–221
- Homosexuals. *See* Gay men and lesbian women
- HOPE LINE, 43
- Human growth hormone (HGH), 356, 357
- Human Rights Campaign, 225
- Humor, 206–207
- Hypophoria, 63
- Illegal drugs. *See also* Addiction; Substance abuse; and specific illegal drugs
 - adolescents and, 243
 - athletes and, 363–364
 - criminal population and, 386–387
 - ethnicity and, 125, 126, 129
 - gay men and lesbian women's use of, 214–215, 217, 218
 - Hispanics and, 229–235, 232–233, 331
 - homelessness and, 328, 329, 332
 - military personnel and, 374
 - non-opiate abuse and depression, 55–56
 - older adults' use of, 112–113
 - opiate abuse and depression, 54–55
- Immigration and Naturalization Diversity Program, 126
- Independence, 206, 290–291
- Indian Gaming Regulatory Act (1988), 275
- Indians. *See* Native Americans
- Individual Dual-Disorder Treatment Plan, 65
- Individual therapy
 - for alcohol- and drug-abusing men, 185
 - for Hispanics, 238–239
- Individual Treatment Review, 65
- Individuals with disabilities
 - attitudinal barriers impacting treatment of, 406
 - blindness and visual impairment, 419–421
 - deafness and hearing impairment, 413–415
 - developmental disabilities, 421–422
 - disability coculture and, 403–404, 423
 - employment of, 410–411
 - mixing of alcohol and prescription drugs, 417
 - myths and stereotypes regarding, 406–412
 - sexuality of, 409–410
 - spinal cord injuries, 415–419

- statistics on, 403
 - substance abuse by, 403–423
 - treatment for, 412–423
 - types of disabilities, 405
- Inhibited sexual desire, 54. *See also* Sexual functioning
- Initiative, 206
- Inpatient treatment, 173, 238
- Insight, 206
- Instrumental needs, 133
- Integrated treatment system for dually diagnosed patients, 64
- Intensified substance use, 249
- Intergenerational transmission of alcoholism. *See* Multigenerational transmission of alcoholism
- Interpersonal fusion, 306–308
- Intervention, 102–103, 140
- Intrapsychic fusion, 306–308

- Jewish Alcoholic, Chemically Dependent Persons, and Significant Others, 80
- Johnson Institute intervention procedure, 35

- Katamine (“Special K”), 215
- Knowledge-based prevention programs, 142

- Labels, cautions against, 67
- Latinos/as. *See* Hispanics
- LGBT. *See* Gay men and lesbian women
- Learning Sobriety Together (LST), 186
- Lesbian women. *See* Gay men and lesbian women
- Life skills training, 142
- LifeRing Secular Recovery, 81, 86–87
- Lithium, 63
- Lithium carbonate, 52, 53
- Liver damage from alcoholism, 19
- Lost child role in family, 181
- LSD, 112, 215
- LST. *See* Learning Sobriety Together (LST)

- MAC-R. *See* MacAndrews Scale (MAC-R)
- MacAndrews Scale (MAC-R), 287
- Male athletes. *See* Athletes
- Manic-depressive disorder. *See* Bipolar depression
- Marijuana, 112, 129, 131, 154, 218, 229, 231–233, 243, 253–254, 332, 387
- Marine Corps, 373, 378. *See also* Military
- Marine Corps Community Services (MCCS), 378, 382
- Marriage therapy. *See* Couples therapy
- Mascot role in family, 181
- MAST. *See* Michigan Alcohol Screening Test (MAST)
- Mastery, 290–291
- Mayo Clinic, 160, 162
- MCCS. *See* Marine Corps Community Services (MCCS)
- MCMI. *See* Millon Clinical Multiaxial Inventory (MCMI)

MDFT. *See* Multidimensional Family Therapy (MDFT)

Medical professionals. *See* Physician headings

Medications

- commonly used medications for older adults, 106–107, 111
- for depression, 52–54
- etiology and treatment of abuse and misuse of, 104
- guidelines for physicians on, 109–110
- management and treatment of medication abuse and misuse by older adults, 109–110, 115
- misuse and abuse of, by older adults, 104–111
- mixing of alcohol and prescription drugs, 417
- nonprescription medication misuse and abuse, 110–111
- patient compliance training for, 109
- physicians' abuse of prescription medications, 150, 151, 154–155
- prescription medication abuse and misuse, 106–110
- psychoactive drugs for older adults, 107–108
- risk factors in use of, 105–106
- for sociopathy, 63
- statistics on use of, 104, 105

Memory, 281

Men. *See also* Athletes; Gay men and lesbian women; Military; Physician impairment due to substance abuse

- adolescent male substance abusers, 255–256
- affective disorders in, 53
- African American men, 134–135
- alcoholism and, 14, 19–21, 30, 49, 93–94
- cigarette smoking by, 126–127
- life expectancy of, 125

Menninger Memorial Hospital, 159, 160, 162

Mental illness. *See* Dually diagnosed patients

MentalHelp.net, 383

Methadone programs, 112

Methamphetamines, 215, 387

Mexican Americans. *See* Hispanics

Michigan Alcohol Screening Test (MAST), 99, 150–151, 205

Military

- alcohol abuse in, 373–377
- cigarette smoking in, 374
- demographics of population, 369
- diagnosis of military personnel, 377
- illegal drugs in, 374
- posttraumatic stress disorder (PTSD) in military personnel and veterans, 330, 346, 376, 377
- prevention programs for military personnel, 380–381
- resources on, 382–383
- risk of substance abuse in, 374, 376–377
- substance abuse in, 369–383
- treatment of military personnel, 377–380
- treatment of veterans, 346–347, 379–380
- veterans as homeless, 330, 334–335, 345–347

Military OneSource, 380, 383

Military.com, 383

- Millon Clinical Multiaxial Inventory (MCMI), 61
- Minnesota Multiphasic Personality Inventory (MMPI), 50, 58, 59, 60, 61, 287
- Minority groups. *See* Ethnicity; and specific minority groups, such as African Americans
- Misuse, definition of, 104
- MMPI. *See* Minnesota Multiphasic Personality Inventory (MMPI)
- Mobility impairments, 405, 415–419. *See also* Individuals with disabilities
- Moderation Management (MM), 80, 81, 84–85
- Monitoring the Future (MTF) study, 231
- Mood disorders, 49–56
- Moos Family Environment Scale—Third Edition*, 179
- Morality, 207
- Motivation, 139, 141
- MTF. *See* Monitoring the Future (MTF) study
- Multidimensional Family Therapy (MDFT), 251, 258–259
- Multigenerational transmission of alcoholism, 19, 27–28, 30, 153–154, 172, 177–178, 202–205, 234–235.
See also Adult children of alcoholics; Children of alcoholics (COAs)
- Multigenerational transmission process, 313–314
- Multiple disabilities, 405. *See also* Individuals with disabilities
- Multisystemic therapy (MST), 257, 258
- NA. *See* Narcotics Anonymous (NA)
- NAACP. *See* National Association for the Advancement of Colored People (NAACP)
- Narcotics Anonymous (NA), 162, 268, 419
- National Association for Children of Alcoholics, 43
- National Association for the Advancement of Colored People (NAACP), 131
- National Association of Children of Alcoholics, 212
- National Basketball Association (NBA), 354, 368
- National Comorbidity Survey, 47, 49, 52
- National Council on Alcoholism, 43
- National Council on Alcoholism and Drug Dependence (NCADD), 43
- National Football League (NFL), 354, 360, 368
- National Help and Referral Line for People Affected by Alcohol and Drug Abuse, 43
- National Highway Traffic Safety Administration, 157
- National Institute of Mental Health, 95
- National Institute on Alcohol Abuse and Alcoholism (NIAAA), 43, 94, 96, 157
- National Institute on Drug Abuse (NIDA), 157, 229, 230, 231, 243, 354, 357, 377, 383
- National Organization for Fetal Alcohol Syndrome (NOFAS), 43
- National Survey on Drug Use and Health, 128–129
- Native Americans
 acculturation level of, 288–289
 addiction among, 275–288
- Alcoholics Anonymous (AA) for, 295
 alcoholism and, 15, 275, 278–288, 331
 assessment of, 287–288
 community interventions and prevention for, 293–294
 consumption rate of alcohol by, 279–280
 cultural marginalization and loss of culture by, 283–284
 death rate of, 275
 determination of risk level for alcoholism among, 285–286
 dichotomies between dominant Euro-American culture and, 279

- family system of, 284–286
 - family therapy for, 292
 - fetal alcohol syndrome (FAS) and, 22, 281
 - gambling and, 275–276
 - genetic predisposition to alcoholism among, 281
 - history of and historical trauma, 276–278, 286–287, 289, 296
 - homelessness of, 331
 - metabolism of alcohol by, 280
 - myths about alcohol consumption by, 278–279
 - physiological factors for addiction among, 279–282
 - psychological factors for addiction among, 286–288
 - religion of, 293–294
 - reservations and, 291–292
 - resources on, 299
 - risk factors for addiction among, 279–288
 - sociocultural factors for addiction among, 283–286
 - statistics on, 275, 276, 278, 280–282
 - stereotypes of, 278, 284
 - treatment and prevention programs for, 288–296
 - treatment expectations for, 291
 - treatment goals for, 294
 - tribal-centric treatment for, 289–291, 294
 - tribal diversity among, 291
- Navy, 378, 383
- Navy Alcohol and Drug Use Prevention (NADAP), 378
- NBA. *See* National Basketball Association (NBA)
- NCADD. *See* National Council on Alcoholism and Drug Dependence (NCADD)
- Neuroleptics, 63
- New Jersey Physicians' Health Program, 160, 163
- NFL. *See* National Football League (NFL)
- NIAAA. *See* National Institute on Alcohol Abuse and Alcoholism (NIAAA)
- Nicotine, 126–127, 128, 129, 173, 229, 231, 232–233, 243
- NIDA. *See* National Institute on Drug Abuse (NIDA)
- NOFAS. *See* National Organization for Fetal Alcohol Syndrome (NOFAS)
- Non-opiate drug abuse, 55–56
- Non-12-step recovery
 - clinical considerations on, 87–89
 - compared with 12-step programs, 80–81, 87–88
 - defining population seeking, 77–78
 - description of alternative support groups, 80–87
 - harm reduction and, 88–89
 - legal issues and, 78–79
 - objections to 12-step approach, 75–77
 - religious or spiritual orientation among, 80
 - resources on, 79, 90
 - treatments available to individuals seeking, 79–80
 - for women alcoholics, 35, 43
- Nonprescription medication misuse and abuse. *See* Medications
- North Carolina Physicians Health Program, 161, 164
- North West Doctors and Dentists Group, 161, 163–164

Nursing homes, 94. *See also* Older adults

Nutritional and dietary supplements, 357–358

Office of National Drug Control Policy, 157, 394

Older adults

alcohol abuse by, 92–104

alcoholism and, 29, 113

assessment and diagnosis of alcohol abuse in, 97–100

cohort differences in, 113–114

commonly used medications for, 106–107, 111

community-based services for, 103–104, 115–116

depression and, 96–97

difficulties in diagnosing substance abuse in, 92

distinguishing between cause and effect in, 113

future use and service needs of, 115–116

homelessness of, 330

illegal drugs and, 112–113

management and treatment of alcohol abuse in, 100–103

management and treatment of medication abuse and misuse by, 109–110, 115

medication misuse and abuse by, 104–111

methodological considerations regarding, 114–115

nonprescription medication misuse and abuse by, 110–111

in nursing homes, 94

physiological changes associated with, 105–106

prescription medication misuse and abuse by, 106–110

prevention of alcohol abuse among, 103–104

psychoactive and psychotropic drugs for, 107–109

research on substance abuse by, 113–116

resources on, 123

risk factors and effects of alcohol abuse by, 95–97

statistics on, 91, 105

statistics on alcohol abuse by, 92–95

Opiates, 54–55, 112, 150, 155, 387

Opium, 131

Oregon Board of Medical Examiners Rehabilitation Program, 160, 162

Overcomers in Christ, 80

Overcomers Outreach, 80

Pain killers, 361–362

Parallel treatment system for, dually diagnosed patients, 64

Paraprofessional addictions counselors, 2–3

Parentification, 174, 176

Parents. *See* Family

Payoff Matrix, 65

PCL-R. *See* Hare Psychopathy Checklist–Revised (PCL-R)

Performance-enhancing drugs for athletes, 354–362

Personal, interpersonal, and self-enhancement programs, 142

Personality disorders. *See* Sociopathy

Persuasion treatment stage for dually diagnosed patients, 68

PFLAG, 225

- Pharmacotherapy. *See* Medications; Treatment and prevention of alcoholism and substance abuse
- Phoenix in a Bottle* (MacDonald and MacDonald), 2
- Physical abuse. *See* Childhood sexual/physical abuse
- Physician impairment due to substance abuse
- American Medical Association and, 149–150
 - availability of prescription drugs and, 154–155
 - etiology of, 152–158
 - family history and, 153–154, 301
 - family patterns and marital problems of impaired physicians, 301–302, 318–320
 - family systems treatment for, 301–323
 - identification of, 158, 166
 - ignorance and misinformation and, 156–157, 302
 - medical specialty and, 157–158
 - normative support for recreational drug use and, 154
 - personality of physicians and, 156
 - prevalence of, 150–152
 - questions on, 321–322
 - stress and, 155–156
 - treatment of, 159–165, 301–323
- Physician intervention for alcoholic patients, 102
- Physiological factors in addiction, 7
- Placater role in family, 179, 182, 184
- PNCE. *See* Positive and Negative Consequences Experienced (PNCE) questionnaire
- Poppers, 217
- Positive and Negative Consequences Experienced (PNCE) questionnaire, 260
- Posttraumatic stress disorder (PTSD)
- alcohol use and, 18
 - in dually diagnosed patients, 47, 337
 - homelessness and, 337
 - in military personnel and veterans, 330, 345, 346, 376, 377
 - women and, 18
- Poverty
- of African Americans, 131, 134
 - of Hispanics, 228
 - homelessness and, 327
 - of women and alcoholism, 29
- Powerlessness, 33–34
- Prescription medications. *See* Medications
- Prevention programs. *See also* Treatment and prevention of alcoholism and substance abuse for
- African Americans, 142–143
 - alternative prevention programs, 143
 - for athletes, 367–369
 - for children of alcoholics (COAs), 186–190
 - community-based prevention programs, 142–143
 - family-based prevention programs, 142
 - for Hispanics, 239–240
 - knowledge-based prevention programs, 142
 - for medical students, 302, 323
 - for military personnel, 380–381
 - for Native Americans, 293–294

- for older adults, 103–104
- Prevlina, 43
- Prisoners. *See* Criminal population
- Problem drinking. *See* Alcoholism/alcohol abuse
- Professional counselors. *See* Counselors
- Professional male athletes. *See* Athletes
- Project MATCH, 237
- Project REFORM, 395–396
- Pseudo-self versus solid self, 311
- Psychoactive drugs. *See* Medications
- Psychological factors in addiction, 8–9
- Psychological reactance, 67
- Psychopathic state, 63
- Psychopathology. *See* Dually diagnosed patients; and specific psychiatric illnesses
- Psychopathy, 56–67. *See also* Sociopathy
- Psychotropic drugs. *See* Medications
- PTSD. *See* Posttraumatic stress disorder (PTSD)

- Queer Resources Directory, 225

- Racial groups. *See* Ethnicity; and specific racial groups
- Racism, 136
- Rape
 - alcohol use and, 17, 24–25
 - of lesbian women, 217–218
- Rational Recovery, 80, 85–86
- Recovery, stages of, 34. *See also* Alcoholics Anonymous (AA); Non-12-step recovery; Self-help groups
- Recovery Works Resource Center, 43
- REFORM Project, 395–396
- Rehabilitation programs, 103
- Relapse and relapse prevention, 68, 138–139
- Relapse Prevention Model, 139
- Relationships, 206. *See also* Family
- Renaissance Transgender Association, 225
- Resilient children, 205–208
- Responsible role in family, 182, 184
- Rimrock Foundation, 43
- Role behavior in children of alcoholics (COAs), 175–176, 179–184

- SADS. *See* Schedule for Affective Disorders and Schizophrenia (SADS)
- SAMHSA. *See* Substance Abuse and Mental Health Services Administrations (SAMHSA)
- SARD. *See* Substance Abuse Rehabilitation Department (SARD)
- SASSI. *See* Substance Abuse Subtle Screening Inventory (SASSI)
- SATS-R. *See* Substance Abuse Treatment Scale–Revised (SATS-R)
- Scapegoat role in family, 181
- Schedule for Affective Disorders and Schizophrenia (SADS), 55
- SCT. *See* Systemic Couple Therapy (SCT)
- Secondary psychopathology models of dually diagnosed patients, 46
- Secondary substance abuse models of dually diagnosed patients, 46
- Secular Organization for Sobriety/Save Our Selves (SOS), 81, 83–84, 86

- Self-efficacy, 141–142, 144
- Self-help groups. *See also* Alcoholics Anonymous (AA); and other specific groups
 for adolescents, 268
 Al-Anon for Families of Alcoholics, 34, 43
 for children of alcoholics (COAs), 189
 “Double Trouble” support groups, 69
 for dually diagnosed patients, 69
 for military personnel, 379
 non-12-step recovery, 35, 43, 75–90
 religious or spiritual orientation among, 808
 for women alcoholics, 35, 43
- Self-management treatment approaches, 102
- “Self-medication” hypothesis, 47
- Sensory impairments, 405. *See also* Individuals with disabilities
- Sequential treatment system for dually diagnosed patients, 64
- Sexual assault/abuse. *See* Childhood sexual/physical abuse; Rape
- Sexual functioning. *See also* HIV/AIDS
 of gay men, 216–217
 of individuals with disabilities, 409–410
 inhibited sexual desire, 54
 in women alcoholics, 22–23, 54
- Shaping, 207
- Sibling position, 314
- SIT. *See* Systemic Individual Therapy (SIT)
- 16-step groups, 80
- Slavery, 130, 133–134. *See also* African Americans
- SMART Recovery, 80, 81, 85–86
- Smoking. *See* Cigarette smoking
- Social-recreational users, 249
- Social skills programs, 142
- Sociological factors in addiction, 7, 8
- Sociopathy
 abuse of other drugs and, 62–63
 alcohol and, 58–62
 definitions and descriptions of, 56–57
 diagnosis of, 57–58
 substance abuse and, 56–63
 treatment of, 60–63
- Solid self versus pseudo-self, 311
- SOS. *See* Secular Organization for Sobriety/Save Our Selves (SOS)
- Special populations. *See* specific groups, such as African Americans
- Specific populations. *See* specific groups, such as Adolescent substance abuse
- Spinal cord injuries, 415–419
- Sports. *See* Athletes
- Spouse abuse. *See* Domestic violence
- Steroids, 353–357, 369
- Stress. *See also* Posttraumatic stress disorder (PTSD)
 adolescents and, 246–248
 Hispanics and, 234–235
 physicians and, 155–156

- Substance abuse. *See also* Addiction; Adolescent substance abuse; Alcoholism/alcohol abuse;
- Treatment and prevention of alcoholism and substance abuse
 - by adolescents, 243–269
 - affective disorders and, 49–56
 - by African Americans, 125–144, 329
 - anxiety and, 46–49
 - by athletes, 349–370
 - availability and, 154–155
 - as behavioral disorder, 4–6
 - brain chemistry and, 137
 - characterizing individuals and assessing their needs, 6–9
 - cognitive impairment and, 137–138
 - in criminal population, 21, 385–400
 - definition of, 3–4
 - by gay men and lesbian women, 214–225
 - by Hispanics, 229–235
 - homelessness and, 321–348
 - ignorance and misinformation of physicians on, 156–157, 302
 - incubation period for, 154
 - by individuals with disabilities, 403–423
 - legislative approaches to, 393–394
 - in military, 369–383
 - normative support for recreational use of alcohol and drugs, 154
 - by older adults, 91–116
 - personality and, 156
 - by physicians, 149–166, 301–302, 318–323
 - physiological factors in, 7
 - psychological factors in, 8–9
 - psychopathology and, 45–70, 73
 - relapse and relapse prevention, 138–139
 - sociological factors in, 7, 8
 - sociopathy and, 56–63
 - stress and, 155–156, 234–235, 246–248
 - Substance Abuse and Mental Health Services Administrations (SAMHSA), 43, 112, 376–378, 380, 383
 - Substance Abuse Rehabilitation Department (SARD), 379
 - Substance Abuse Subtle Screening Inventory (SASSI), 260, 287
 - Substance abuse treatment and prevention. *See* Treatment and prevention of alcoholism and substance abuse
 - Substance Abuse Treatment Scale–Revised (SATS-R), 65
 - Suicide
 - alcohol use and, 20, 97
 - depression and, 50, 52
 - homeless youth and, 339, 341
 - Systemic Couple Therapy (SCT), 31, 32–33
 - Systemic Individual Therapy (SIT), 31
 - Systems. *See also* Bowen Family Systems Therapy (BFST)
 - African American family systems, 132–135
 - definition of, 132
 - Native American family systems, 284–286
 - subsystems of, 132–133

- Temperance movement, 16
- Therapeutic community for criminal population, 397
- Therapy. *See* Couples therapy; Family therapy; Group therapy; Treatment and prevention of alcoholism and substance abuse
- Timeline Follow-Back Interview (TLFB), 260
- TLFB. *See* Timeline Follow-Back Interview (TLFB)
- TLFBC. *See* Drug/Alcohol Time-Line Follow-Back Calendar (TLFBC)
- Tobacco. *See* Nicotine
- Traffic accidents due to alcohol, 20–21, 245
- Traynor v. Turnage*, 5
- Treatment and prevention of alcoholism and substance abuse. *See also* Alcoholics Anonymous (AA); Counselors; Couples therapy; Family therapy; Medications; Non-12-step recovery; Prevention programs; Self-help groups
- for adolescents, 244–245, 247–248, 250–269
 - for adult children of alcoholics (ACA), 198–202
 - for African Americans, 125–126, 135–144
 - for alcoholic women, 28–34
 - of anxiety, 48–49
 - for athletes, 366–370
 - barriers to treatment for alcoholic women, 28–30
 - brief physician intervention for alcoholism, 102
 - changes involved in, 9–10, 139–141
 - characterizing individuals and assessing their needs, 6–9
 - for children of alcoholics (COAs), 183–190, 207–208
 - community outreach programs, 102
 - counselors in, 2–3, 63–64, 70, 186, 218–219
 - for criminal population, 394–400
 - culturally adapted interventions, 430–436
 - for depression, 52–54, 56
 - diversity issues and evidence-based therapy, 10–11
 - for dually diagnosed patients, 45–46, 48–49, 52–54, 56, 60–62, 63–70, 337–339
 - efficacy of and outcome research on, 79–80, 159–165, 185–186, 347–348
 - etiology of addiction, 3–6
 - evidence-based practices, 436–437
 - family involvement in, 11, 30–35, 43
 - for gay men and lesbian women, 218–223
 - for Hispanics, 235–240
 - for homeless, 335–348
 - for individuals with disabilities, 412–423
 - intervention for alcohol abusers, 102–103
 - of military personnel, 377–380
 - for Native Americans, 288–296
 - non-12-step recovery, 35, 43, 74–90
 - in older adults, 100–104
 - for physicians, 159–165, 301–323
 - physiological factors in addiction, 7
 - planning of, for specific populations, 1–11
 - psychological factors in addiction, 8–9
 - self-efficacy and, 141–142
 - self-management treatment approaches, 102

- similarity among, 1–3
 - sociological factors in addiction, 7, 8
 - for sociopathy, 60–63
 - stages of recovery, 34
 - types of prevention programs, 142–143
- Treatment planning, 65
- Treatment Resources: Addiction and Behavioral Health Directory, 43
- Triangles in family systems, 312–313
- Tribal-centric treatment, 289–291, 294. *See also* Native Americans
- 12-step programs. *See* Alcoholics Anonymous (AA); Non-12-step programs; Self-help groups

- Unilateral Family Therapy (UFT), 34
- Unipolar depression, 50–51. *See also* Depression

- VA. *See* Veterans Administration (VA)
- Vaginismus, 23
- Veterans. *See* Military
- Veterans Administration (VA), 346, 377–378, 380–381, 382, 416
- Violence against women, 23–26. *See also* Domestic violence; Rape
- Visual impairment, 419–421

- Washington Physicians Health Program, 161, 164
- WFS. *See* Women for Sobriety (WFS)
- Whites. *See also* Ethnicity
 - AIDS and, 334
 - alcohol use by, 14–15, 94, 128–129
 - cigarette smoking by, 126–127, 129
 - gambling and, 276
 - homelessness of, 331
 - illegal drug use by, 125, 126
 - income of, 228
 - life expectancy of, 125
 - marriage and divorce rates of, 134
- Wide Range Assessment of Memory and Learning (WRAML), 281
- Women. *See also* Gay men and lesbian women
 - adolescent female substance abusers, 255–256
 - affective disorders in, 53–54
 - age of, and alcohol problems, 14–15
 - alcoholism and, 13–35, 49, 93–94
 - barriers to treatment for alcoholic women, 28–30
 - childhood physical/sexual abuse of, 18–19, 23–24
 - consequences of alcoholism in, 19–22
 - criminal behavior by, 21
 - domestic violence against, 23–26
 - effects of maternal drinking on children, 26, 179
 - elderly women and alcoholism, 29
 - ethnicity of, and alcohol problems, 14–15
 - family history of alcoholism and, 19, 27–28, 30
 - family rituals and, 203–204
 - fetal alcohol syndrome (FAS), 21–22, 43, 128

- history of alcoholism of, 16–17
 - HIV/AIDS and, 334, 344
 - homelessness of, 18, 328, 342–344
 - life expectancy of, 125
 - partner and relationship issues of, 29–30
 - posttraumatic stress disorder (PTSD) in, 18
 - poverty of, 29
 - rape of, 17, 24–25
 - reasons for alcoholism in, 18–19
 - recovery organizations for, 35, 43
 - sexual functioning of, and alcoholism, 22–23, 54
 - statistics on alcohol problems of, 13–14, 49
 - stigma of alcoholism in, 17–18, 28–29
 - suicide and, 20
 - traffic accidents and, 20–21
 - treatment of alcoholic women, 28–34
 - violent victimization and alcohol use of, 23–25
- Women for Sobriety (WFS), 35, 80, 81, 82–83
- Women for Sobriety “New Life” Program, 35, 82–83
- WRAML. *See* Wide Range Assessment of Memory and Learning (WRAML)
- Young people. *See* Adolescent substance abuse; Children of alcoholics (COAs)

© copyrighted material by PRO-ED, Inc.