

Table of Contents

| | |
|---|----|
| ▶ Foreword | 8 |
| ▶ Introduction and Rationale | 9 |
| Phoneme Development | 9 |
| Stimulability | 10 |
| Speech Intelligibility | 10 |
| Childhood Apraxia of Speech (CAS) | 10 |
| Test Description | 11 |
| Final Version of the <i>LAT</i> | 11 |
| Sounds in Words | 11 |
| Stimulability | 13 |
| Intelligibility Rating | 13 |
| Screening Childhood Apraxia of Speech (CAS) | 13 |
| Normative Population | 13 |
| Intended Population | 14 |
| ▶ Test Administration | 15 |
| Examiner Qualifications | 15 |
| Test Environment | 15 |
| Test Procedures | 15 |
| Allowable Prompts | 15 |
| Recording and Scoring Responses | 16 |
| Administration Time | 16 |
| Calculating Chronological Age | 16 |
| Materials | 16 |
| ▶ Scoring | 17 |
| Scoring Rationale | 17 |
| Scoring Guidelines | 17 |
| ▶ Discussion of Performance | 18 |
| Therapy Approaches | 18 |
| Traditional | 18 |
| Phonological Processing | 18 |
| Cycles Approach | 19 |
| Complexity Approach | 19 |

| | |
|--|-----------|
| Phonological Contrasts Approaches | 19 |
| Minimal Pairs Approach | 19 |
| Maximal Opposition | 19 |
| Empty (Unknown) Set | 20 |
| Multiple Oppositions | 20 |
| Core Vocabulary | 20 |
| Special Populations | 20 |
| Childhood Apraxia of Speech (CAS) | 20 |
| Dysarthria | 20 |
| ► Statistical and Normative Analyses | 21 |
| Compiling Test Results | 21 |
| Test Design | 21 |
| Examiner Criteria and Testing Information | 21 |
| Standardization Study | 21 |
| Figure A: Subject Distribution for Standardization Study, Ages 3.0–8.11 | 22 |
| Figure B: Subject Distribution for Standardization Study, Ages 9.0–21.11 | 22 |
| Interpretation of Test Results | 23 |
| Age Equivalents | 23 |
| Percentile Ranks | 24 |
| Standard Scores | 24 |
| Reliability | 24 |
| Validity | 25 |
| Overall Speech Intelligibility and <i>LAT</i> Raw Score Relationship | 26 |
| Race/Socioeconomic Differences in Test Performance | 27 |
| <i>LAT</i> and <i>Goldman-Fristoe Test of Articulation Second Edition (GFTA-2)</i> Correlation Study, Ages 3.0–8.11 | 27 |
| Apraxia Screening | 28 |
| ► Tables | 29 |
| Standardization Tables | 29 |
| 1 Number of Subjects, Means, Medians, and Standard Deviations for Total Test by Age | 29 |
| 2 Age Equivalents of Raw Scores for Total Test | 30 |
| 3-1 . . . 3-25 Raw Scores, Percentile Ranks, and Standard Score Values for Total Test by Age | 31 |
| Reliability Tables | 43 |
| 4 Test-Retest Reliability Coefficients and Standard Errors of Measurement for Total Test, Ages 3.0–8.11 | 43 |
| 5 Reliability Based on Item Homogeneity: Kuder-Richardson (KR20) Coefficients for Total Test by Age | 44 |

| | |
|--|--|
| Validity Tables | 45 |
| 6-1 . . . 6-5 | t-Tests for Differences Between Typically-Developing Subjects and Subjects with Speech Sound Disorders (Articulation and Phonology): Raw Score Means for Total Test 45 |
| Other Tables, Ages 3.0–21.11 | 47 |
| 7 . . . 7a | t-Tests for Differences Between Male and Female Mean Scores for Total Test by Age 47 |
| 8-1 . . . 8-25 | Proportion Passing Items and Total Test Means by Race and Ethnicity 49 |
| 9-1 . . . 9-25 | z-Tests for Proportion Passing Items, Chi Square Tests, and <i>F</i> -Tests for Total Test Mean Differences 74 |
| 10-1 . . . 10-25 | Analysis of Variance Tests for Race and Socioeconomic Status: Mean Differences 99 |
| Other Tables, Ages 3.0–8.11 | 47 |
| 11-1 . . . 11-12 | <i>LAT</i> and <i>GFTA-2</i> Comparison Study 124 |
| 11-13 | Mean Standard Scores for <i>LAT</i> and <i>GFTA-2</i> 148 |
| 11-14 | Standard Deviations for <i>LAT</i> and <i>GFTA-2</i> 149 |
| 12-1 . . . 12-2 | t-Value for Total Error Differences Between Articulation Subjects and Apraxia Subjects on Multisyllabic Words 150 |
| 13-1 . . . 13-2 | t-Value for Differences in Number of Inconsistencies When Repeated Consecutive Trials of Multisyllabic Words in Articulation Subjects and Apraxia Subjects 151 |
| 14-1 . . . 14-2 | t-Value for Total Error Differences Between Typically-Developing Subjects and Apraxia Subjects on Multisyllabic Words 152 |
| 15-1 . . . 15-2 | t-Value for Differences in Number of Inconsistencies When Repeated Consecutive Trials of Multisyllabic Words in Typically-Developing Subjects and Apraxia Subjects 153 |
| 16-1 . . . 16-12 | ANOVA for Intelligibility Ratings and Groups (Regular Education and Phonological Disorder) 154 |
| 17-1 . . . 17-12 | ANOVA for Intelligibility Ratings and Groups (Regular Education and Apraxia) 160 |
| 18-1 . . . 18-12 | ANOVA for Intelligibility Ratings and Groups (Regular Education and Articulation Disorder) 166 |
| ▶ Glossary of Testing Terms | 174 |
| ▶ Bibliography | 176 |
| ▶ Appendix | 179 |
| Side Study of the <i>LAT</i> in Standard and Electronic Form | 179 |
| Table 19 | 179 |
| Figure 17 | 180 |